



## FICHA TÉCNICA

*Artículo :* 1800 5001 - 1800 5012

**SUJETACABLES DIN-741 INOX A2** 



	Emitido po	r el Departam	ento de Calidad					
Descripción de la mercancía		Medida	BKL [kg]					
1800 5001	1	3mm	210					
1800 5002	1	5mm	285					
1800 5003	1	6mm	630					
1800 5004	1	8mm	765					
1800 5005	]	10mm	1950	DIVI - Corre				
1800 5006	Prueba	11mm	1950	BKL: Carga Límite de				
1800 5007	estándar	12mm	2880	Rotura				
1800 5008	]	14mm	3250	Rotura				
1800 5009		16mm	3550					
1800 5010	]	20mm	4460					
1800 5011	1	22mm	4650					
1800 5012		24mm	5120					
Marcado: medida	Resultado: Aprobado							
Acabado: INOX A-2	Resultado: Aprobado							
Material: Cuerpo de hierro de	Resultado: Aprobado							
fundición maleable, Perno y								
tuerca de acero al carbono								
Carga límite rotura:	Resultado: Cuerpo roto en el punto de la carga límite							
de rotura								
Resultado:								
Aprobado								





## FICHA TÉCNICA

ref	Α	В	С	D	I	L	L1	Ø	Ø
1800 5001	21	10	10	M-4	9	20	12	3-4	1/8
1800 5002	24	11	10	M-5	11	24	13	5	3/16
1800 5003	26	12	11	M-5	13	28	15	6	1/4
1800 5004	30	14	15	M-6	16	34	19	8	5/16
1800 5005	37	20	19	M-8	20	42	22	10	3/8
1800 5006	38	20	20	M-8	21	44	22	11	7/16
1800 5007	44	25	23	M-10	25	55	30	12	1/2
1800 5008	46	25	25	M-10	27	57	30	14	9/16
1800 5009	52	28	28	M-12	30	63	33	16	5/8
1800 5010	58	32	34	M-12	34	75	38	20	3/4
1800 5011	64	35	35	M-14	38	85	44	22	7/8
1800 5012	68	38	38	M-14	42	95	45	24	1"
	•								

<sup>\*</sup> Medidas en milímetros [mm]



